

Test results

12 Gene Breast Cancer Panel



Patient name	Example	Sample collection date	01/02/2023
Date of birth	03/03/1993	Sample accession date	03/02/2023
Sex at birth	Female	Report date	17/02/2023
Requesting physician	Dr James Mackay	BSPS lab number	23D001
Sample type	Saliva	Everything Genetic barcode	12345678910

Test performed

Everything Genetic 12 Gene Breast Cancer Panel

Reason for testing

Cancer - Personal history (specified below)

Personal history of breast cancer

Result: NEGATIVE - no pathogenic mutations identified

About this test

This test evaluates 12 genes for variants (genetic changes) that are associated with Hereditary Breast and Ovarian Cancer (HBOC). Genetic testing, when combined with family history and other medical results, may provide information to clarify individual risk of developing breast or ovarian cancer, support a clinical diagnosis, and assist with the development of personalised treatment and management.

Next steps

This test did not identify any pathogenic or likely pathogenic variants known to cause disease. This result should be discussed with your clinician to learn about appropriate next steps. Clinical follow up may still be warranted and the result should be interpreted within the context of family history and clinical findings.

If you have a negative result and you have already been diagnosed with breast or ovarian cancer, this means that no faults in the genes tested have been identified. So, you have no variants in the genes analysed that put you at high risk of developing cancer as a second primary.

However, if you have taken this test to understand your risk of developing breast or ovarian cancer, this result means that the test has not identified any mutations in the genes known to put an individual at high risk of developing breast or ovarian cancer.

It's important to remember that cancers are not only caused by hereditary faults: lifestyle, environment and age can all play a part.

If you do notice anything unusual about your health, it is recommended you seek advice from your clinician or GP.

Genes analysed

This table represents a complete list of the genes analysed for this individual:

ATM	BRCA1	CDH1	PALB2	RAD51C	STK11
BARD1	BRCA2	CHEK2	PTEN	RAD51D	TP53

Method

Genomic DNA is enzymatically fragmented and regions of interest are enriched using DNA capture probes. The final indexed libraries are sequenced on an Illumina platform. The coding regions of the panel genes, 10 bp of flanking intronic sequences, and known pathogenic/likely pathogenic variants within these genes included in the enrichment design (coding and non-coding), are targeted for analysis. Data analysis, including alignment to the hg19 human reference genome (Genome Reference Consortium GRCh37), variant calling, and annotation is performed using CentoCloud, a Software as a Service platform that is able to collate information from internal and external reference databases to identify, prioritise and classify genetic variants associated with oncological diseases as to their pathogenicity using ACMG guidelines.

Variants of unknown significance (VUS) will be reported unless the described phenotype(s) is already explained by a detected pathogenic or likely pathogenic variant(s) or the detected VUSs are not related to the described phenotype(s).

The Copy Number Variation (CNV) detection software has a sensitivity of more than 95% for all homozygous/hemizygous deletions, as well as heterozygous deletions/duplications and homozygous/hemizygous duplications spanning at least three consecutive exons.

Limitations

The genetic results are interpreted in the context of the provided clinical findings, family history, and other laboratory data. Misinterpretation of results may occur if the provided genetic data or patient information is inaccurate and/or incomplete. If the obtained genetic results are not compatible with the clinical findings, additional testing should be considered.

More complex genetic events such as inversions, translocations, and repeat expansions, are not analysed in this test. In addition, due to technology limitations, certain regions may be poorly covered, or not covered at all. In these regions and others encompassing repetitive, high homology (such as pseudogene homology), and GC-rich sequences, relevant variants can be missed.

The Copy Number Variation (CNV) detection software has a sensitivity of more than 95% for all homozygous/hemizygous deletions, as well as heterozygous deletions/duplications and homozygous/hemizygous duplications spanning at least three consecutive exons. Sensitivity of more than 90% for CNV calling is expected including for single exon. The CNV detection sensitivity is decreased for repetitive and homologous regions, such as pseudogenes. Heterozygous CNVs spanning less than three exons cannot reliably be detected. In cases with low quality DNA, CNV analysis may not be possible to perform.

Potential aberrant splicing is assessed with splice prediction tools. Intronic variants that are beyond 10 nucleotides from exon-intron boundaries are not considered for aberrant splicing analysis, with the exception of known pathogenic splicing variants evidenced by external sources.

Disclaimer

Full exon coverage of all genes is not available and therefore some variants may not be detected.

As with all complex technical analyses, there are potential sources of error, including certain genetic variants in primer annealing sites, inhibitory contaminants in the genomic DNA extracted from the patient sample, technical issues, lower than expected coverage of certain amplicons due to the genomic sequence, changes to the classification of variants, changes to the database used for the annotation of variants, and recent clinical research. This assay should not be used for diagnosis in isolation, but rather used in conjunction with a medical diagnosis, family history and treatment plan provided by a qualified clinician. The assay was performed by Berkshire and Surrey Pathology Services (BSPS) and is currently part of an Extension to Scope application to UKAS under ISO15189:2012 standards.

The data analysis is performed and validated by CENTOGENE GmbH; the requested genetic testing itself is based on the highest and most current scientific and analytical standards. However, in very few cases genetic tests may show an incorrect result, e.g., because of the quality of the material provided or where a test fails for unforeseeable or unknown reasons that cannot be influenced by the test provider in advance.

This report has been reviewed and approved by:

Nadine Collins, Consultant Clinical Scientist

Date: 17/02/2023

Authorised BSPS signature



Berkshire and Surrey Pathology Services
Molecular Diagnostics
2nd Floor Lavis Suite
Royal Surrey County Hospital
Egerton Road
Guildford
GU2 7XX
United Kingdom

Berkshire and Surrey Pathology Services is
accredited by UKAS to BS EN ISO15189:2012.

Signed on behalf of Everything Genetic Ltd

Dr James Mackay, MA, MD, FRCP, FRCPE
Medical Director

Date: 17/02/2023

Authorised signature



Everything Genetic Ltd
20-22 Wenlock Road
London
N1 7GU
United Kingdom

Tel: +44 (0) 1270 623179